<b>PAWSD</b> Permit	· #
---------------------	-----

Acct	#

Location # \_\_\_\_\_

Water WO: _	
W/W WO: _	

W/W WO:					
Meter Size:	Billing EU:	Water:	Drought Surcharge:	Sewer:	

\*\*\*Single Family Residential Assessment is 1 Equivalent Unit - this includes the primary residence and 1 additional dwelling unit (ADU); both MUST be served by same water meter\*\*\*


## Enclosed Portion to be completed by Owner or Agent

Name of property owner:				
Mailing Address:				
Phone (Home):				
E-mail Address:				
Location of property				
Street address:				
Subdivision:			lot #:	
General contractor:		Phone number	r:	
Excavator:		Phone number	r:	
If issued, Building Permit #:	Building Permit A	Attached:		
Backfill Inspection Fee: If the backf the account for each additional bo illustration and requirements. Initial	ackfill inspection require		•	
Wastewater Backflow Check Valve sewer service line to prevent the po		• ·		
Private Utility Easements: The prope	erty owner/contractor is	responsible for a	acquiring all ec	asements.
<mark>Shoring</mark> : The property owner is respo	onsible for shoring all tre	nches deeper t	han 4 ft.	
Tracer Wire: The property owner is r Both ends of tracer wire must be ac		tracer wire from	the meter pit t	to the structure.
I/we have read and agree to con Water / Wastewater Connection P Regulations. <u>I have initialed each p</u> I also acknowledge that PAWSD c	Permit Request form and page as required.	d are subject to	o the <mark>PAWSD R</mark>	ules &
Property Owner or Agent Signatur	'e:		Date:	
Connection:/	/			
Time	Day	Date		

## Illustration of Meter Pit Backfill

METER PIT BACKFILL REQUIREMENTS: 1) Must be completed same day as meter pit is installed 2) 2" from top of cast iron lid 3) 4 ft perimeter around ENTIRE meter pit.

#### BACKFILL 2 INCHES FROM TOP OF THE CAST IRON LID, LOCATED ON TOP OF THE DOME Same Day that Meter Pit is Installed



# TERMS & CONDITIONS

# THE FOLLOWING IS THE RESPONSIBILITY OF THE PROPERTY OWNER AND COMPLIANCE MUST BE MET BY THE CONNECTION TIME AT THE PROPERTY SITE.

- Permits & Regulatory Requirements: All permits or regulatory requirements necessary for the installation, repair, and/or maintenance of a service line is the sole responsibility of the property owner.
- Excavator & Operator: Minimum size of backhoe/excavator, equivalent to 580 with rubber tire & 24" bucket. The District recommends that the operator have a "spotter" on site during excavation. PAWSD staff will NOT act as spotters for any other utilities during excavation. Excavator is solely responsible for any damage caused during excavation and/or backfill.
- **Property pins:** All property pins must be located to determine the location of the utility easement.
- Utility Line Locates: Per State Law, all other utilities must be marked prior to the connection. District staff will not move forward with the connection if the other utilities are unmarked. Please order the utility line locates at least one week prior to the connection.
- **Bedding Material**: District requires minimum bedding of 4" below and 12" above pipe with debris free fill. See City/County Specs for their individual requirements.
- Barricades & Signs: See City/County Specs for their requirements.
- **Signage:** The property owner is responsible for road and construction signage as needed.
- **Cancellation/No Show Policy**: District must be contacted a minimum of **1 business day prior** to connection time or the account will be assessed a <u>\$250</u> fee per occurrence and may be rescheduled if there is availability on the 2025 Connection schedule. Cancellation includes No Shows, insufficient preparation (i.e. line locates), and inadequate equipment available.
- **Tracer Wire:** The property owner is responsible for installing tracer wire from the meter pit to the structure. Both ends of tracer wire must be accessible.
- **Private Utility Easements:** Property owners or agents are responsible for acquiring the proper easements for the water and/or sewer connections.

### I HAVE READ AND UNDERSTAND THE ABOVE TERMS AND CONDITIONS. Initial

# TERMS & CONDITIONS - CONTINUED

- Sump Pump: It is illegal to discharge sump pump(s) into the District's sewer system.
- Water Fittings: Property owner is responsible to provide fitting between meter pit and their pipe (male iron pipe thread coming out of pit, property owner needs female iron pipe thread).
- Sewer Installation: District completes tap at main line. The property owner is responsible for all excavation, materials (typically, pipe is 4" PVC Schedule 35), and installation of service line beyond the main line tapping saddle. Suggested minimum fall for 4" pipe is 6" per 100 ft.
- Sewer Maintenance: Maintenance of any sewer service line, whether commercial or residential, is the sole responsibility of the property owner. On properties where more than one property shares a sewer service, the affected property owners share the responsibility to maintain and repair the sewer service line, in its entirety.
- **High Pressure Wastewater Line**: Properties provided with this service may require an Environmental One lift station (or equivalent), lateral kit and valve box. The property owner is responsible for all excavation, materials, installation, and maintenance of service line and lift station beyond the main line tapping saddle.
- Connection Refund: Any portion of the physical connection NOT completed by the conclusion (typically Oct 31<sup>st</sup>) of this year's District Connection Season shall be refunded. If, in a future connection season, new service is requested, a Connection Request Permit form specific to that year's connection must be completed and the then current applicable fees paid.
- **Pre-excavation**: Excavating the District's mainline prior to the day of connection is not permissible. The District is not responsible for misalignment or mainline breaks should excavation occur prior to connection. The District shall be reimbursed for costs associated with repair of the mainline break.
- Excavation: Trench safety is at the District's discretion. Under the District's supervision, the property owner is responsible for all excavation (blasting, trenching, shoring, backfill, compaction, & ground water pumping) beginning at & including exposing the mainline. The District can NOT guarantee location of the mainlines or service lines.
- **Trench Sharing**: Permitted 5 ft. beyond property line, with a suggested 2 ft. horizontal separation. Colorado Law requires a minimum 10 ft. horizontal separation between water & wastewater lines.
- Frost Line: To prevent freezing of water and/or hi-pressure wastewater lines, lines should be located at a minimum depth of 4 ft.
- Utility Easement: In the event of a leak or other needed repair, the District will access the affected area in the utility easement. The utility easement should not be encumbered, and the area may be damaged by repair equipment and PAWSD is not responsible for the replacement of any landscaping.
- Water Pressure: Maintaining the water pressure is the property owner's responsibility including the expense to reduce/increase water pressure beyond the water meter.
- **Unauthorized Connection**: No excavation of or connection to District water and/or wastewater lines shall be made without permission and supervision by District personnel. It shall be considered an illegal connection, and the property owner would be liable for all repairs and applicable fines.
- **Capital Investment Fee/Equity Buy-In Fee:** It is the property owner's responsibility to notify the District of change in water fixture count or change-in-use.
- **Monthly Service Billing**: Once the connection is completed, availability fees cease, and monthly service assessment begins.
- In-floor or Boiler Used for Heat: May require a Backflow Prevention Device See Applicable State Plumbing Codes.

I HAVE READ AND UNDERSTAND THE ABOVE TERMS AND CONDITIONS. Initial